



## Solve 145

# Safety Data Sheet

Date Issued: 03/08/2021

Date Revised: 06/04/2020

### 1. IDENTIFICATION

PRODUCT NAME: SOLVE 145

#### Recommended use of the chemical and restrictions on use

Use of substance/mixture: Flocculating agent

COMPANY: WaterSolve, LLC, 5031 68<sup>th</sup> Street S.E. Caledonia, MI 49316, USA  
For Product information call 616-575-8693. [www.gowatersolve.com](http://www.gowatersolve.com)  
For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident  
Call CHEMTREC Day or Night  
Within USA and Canada: 1-800-424-9300  
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Eye irritation; Category 2

#### Hazard Pictograms:



#### Signal word:

WARNING

#### Hazard statements:

H319: Causes serious eye irritation

#### Precautionary statements:

#### Prevention:

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/ face protection.

#### Response:

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention

#### Hazard(s) not otherwise classified (HNOC) or not covered/classified by GHS

**Advice:** Contaminated surfaces will be extremely slippery.

**Potential environmental effects:** This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

3. **COMPOSITION/INFORMATION ON INGREDIENTS**

**Substances/Mixtures**

Mixture

Chemical nature: Cationic polyacrylamide, emulsion

**Hazardous components**

Chemical Name	CAS-No.	Concentration %
Distillates (petroleum), Hydrotreated light	64742-47-8	18-24%
Citric acid	77-92-9	2-3%
Alcohols (C12-16), ethoxylated	68551-12-2	0-2.5%
Alcohols (C10-16), ethoxylated	68002-97-1	0-2.5%
Alcohols (C12-14), ethoxylated	68439-50-9	0-2.5%

Components listed above that have a zero minimum and a common maximum range are interchangeably used components based on availability. Only one of these components is contained in the product up to the maximum amount noted.

4. **FIRST AID MEASURES**

**Description of first aid measures**

**General advice:** Show this safety data sheet to the doctor in attendance.

**Ingestion:** Rinse mouth with water. Do NOT induce vomiting. Call a physician immediately.

**Skin Contact:** Take off contaminated clothing and shoes immediately. Wash off with plenty of water. Consult a physician if necessary.

**Eye Contact:** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain prompt medical consultation, preferably from an ophthalmologist.

**Inhalation:** Remove to fresh air. If there is difficulty in breathing, medical advice is required.

**Most important symptoms and effects, both acute and delayed**

Symptoms: No information available

Hazards: No information available

**Indicate of immediate medical attention and special treatment needed, if necessary**

Treatment: Symptomatic treatment

5. **FIRE FIGHTING MEASURES**

**Suitable Extinguishing Media:** water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

**Unsuitable Extinguishing Media:** no special requirements

**Special hazards arising from the substance or mixture:** Burning may produce toxic and irritant gases.

**Special protective actions for fire-fighters:** Wear self-contained breathing apparatus and protective suit.

**Further information**

In the event of fire, cool tanks with water spray. Prevent fire extinguishing water from contaminating surface water or the ground water system.

6. **ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

For personal protection see Section 8. Avoid contact with skin, eyes and clothing. Where the exposure level is not known, wear approved, positive pressure, self-contained respirator. Where the exposure level is known, wear approved respirator suitable for level of exposure.

**Environmental precautions**

Try to prevent the material from entering drains or water courses.

**Methods and materials for containment and cleaning up**

Hazard of slipping on spilt product. Soak up with inert absorbent material. Shovel into suitable container for disposal. Flush with water. Use detergent if needed.

**Additional advice**

For personal protection see section 8.

7. **HANDLING AND STORAGE**

**Precautionary for safe handling:**

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling

**Conditions for safe storage, including any incompatibilities**

Store at room temperature in the original container.

Flashpoint determinations was performed using a Pensky-Martens type closed cup test method. This method indicates a flash point greater than 93.3°C (200°F). Although there was no flashpoint detected below 93.3°C (200°F) some flammable vapors were evolved during the test as evidenced by the enlargement of the test flame. Therefore, caution should be exercised during storage and handling.

**Materials for packaging:**

Unsuitable material: To avoid product degradation and equipment corrosion, do not use iron, copper or aluminum containers or equipment.

**Materials to avoid:**

Strong oxidizing agents

**Storage Stability:**

Storage Temperature: 39.2- 89.6 °F

8. **EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Components with workplace control parameters**

If exposure limits exist, they are listed below. If no exposure limits are displayed, then no values are applicable.

<b><u>COMPONENTS</u></b>	<b><u>CAS-No.</u></b>	<b><u>VALUE</u></b>	<b><u>FORM OF EXPOSURE</u></b>	<b><u>CONTROL PARAMETERS</u></b>	<b><u>UPDATE</u></b>	<b><u>BASIS</u></b>
Distillates (petroleum) hydrotreated light	64742-47-8		Vapour	197 ppm 1,200 mg/m <sup>3</sup>		

**Appropriate engineering controls:**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes and clothing. Do not breathe vapor.

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation.

### **Individual protection measures, such as personal protective equipment**

#### **Industrial Hygiene**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product. Wash hands before eating, drinking, or smoking. Keep away from food and drink. Keep away from tobacco products.

#### **Respiratory protection**

Where exposures are below the established exposure limit, no respiratory protection is required. Where exposure exceed the established exposure limit, use respiratory protection recommended for the material and level of exposure.

#### **Hand Protection:**

Impervious gloves

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

#### **Skin and body Protection:**

Wear suitable protective equipment.

#### **Eye Protection:**

Tightly fitting safety goggles.

#### **Environmental exposure controls**

No data available

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

### **Information on basic physical and chemical properties**

Physical state:	liquid
Form:	emulsion
Colour:	opaque
Odor:	hydrocarbon-like
Odor Threshold:	No data available
pH:	3-6
Freezing point/Melting point:	not determined
Initial Boiling Point/Range:	212°F
Flash point:	>199.4°F (closed cup) (Pensky-Martens)
Evaporation Rate:	No data available
Flammability (Solid, gas)	Not classified as a flammability hazard
Explosive properties	
Lower explosion limit:	No data available
Upper explosion limit:	No data available
Oxidizing properties	The substance or mixture is not classified as oxidizing.
Vapor Pressure :	Similar to water
Relative vapour density:	Similar to water
Density	ca. 1.0 g/cm <sup>3</sup>
Relative Density	No data available
Solubility in Water:	Limited by viscosity
Partition coefficient:	
n-octanol/water:	Not applicable
Auto-ignition temperature:	No data available
Decomposition temp:	No data available

Viscosity,  
Viscosity, kinematic > 20.5 mm<sup>2</sup>/s (104 °F)  
Oxidizing potential: The substance or mixture is not classified as oxidizing.  
Saturation in Air (% by Vol): No data available  
Surface tension: No data available

## 10. STABILITY AND REACTIVITY

**Reactivity:** No data available

**Chemical Stability:** Stable under normal conditions.

**Possibility of hazardous reactions:** Hazardous polymerization does not occur.

**Conditions to Avoid:** None known

**Incompatible materials:** Strong oxidizing agents

**Hazardous decomposition products:** Carbon oxides (CO<sub>x</sub>), ammonia, Hydrogen chloride (HCl), nitrogen oxides (NO<sub>x</sub>)

## 11. TOXICOLOGICAL INFORMATION

### **Information on toxicological effects**

**Acute oral toxicity** Conclusion: The acute toxicological results displayed may not be the result of actual testing of this material but based on similar tested material.

LD50/Rat/ >5,000 mg/kg

Remarks: Estimated

**Acute oral toxicity** **Distillates (petroleum), hydrotreated light:**  
LD50/Rat/ >5,000 mg/kg

**Acute inhalation toxicity** LC50/Rat/4hr/ >/20 mg/l Remarks: estimated

**Acute inhalation toxicity** **Distillates (petroleum), hydrotreated light:**  
LC50/Rat/4hr/ >5.2 mg/l

**Acute dermal toxicity** LD50/Rabbit/ >2,000 mg/kg/  
Remarks: estimated

**Acute dermal toxicity** **Distillates (petroleum), hydrotreated light:**  
LD50/Rabbit/ >/2,000 mg/kg

**Skin corrosion/irritation** OECD Test Guideline 439/Read-across (Analogy)  
Conclusion: No skin irritation

**Serious eye damage/** Calculation method  
Conclusion: Causes serious eye irritation

### **Respiratory or skin sensitization**

**Skin sensitization** Conclusion: Not sensitizing

**Skin sensitization** **Distillates (petroleum), hydrotreated light:**  
Conclusion: This substance is not classified as a sensitizer.

<b>Germ cell mutagenicity</b>	
<b>Genotoxicity in vitro</b>	<b>Distillates (petroleum), hydrotreated light:</b> Conclusion: No known effect.
<b>Genotoxicity in vivo</b>	<b>Distillates (petroleum), hydrotreated light:</b> Conclusion: Not mutagenic
<b>Carcinogenicity</b>	
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	<b>Distillates (petroleum), hydrotreated light:</b> Not classified by IARC or NTP.
<b>Reproductive toxicity</b>	
<b>Toxicity for reproduction</b>	Conclusion: Based on available data, the classification criteria are not met.
<b>Toxicity for reproduction</b>	<b>Distillates (petroleum), hydrotreated light:</b> Conclusion: Did not show teratogenic effects in animal experiments.

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity effects**

#### **Aquatic toxicity**

Remarks: Ecotoxicological information provided is based on a structurally or compositionally similar product. The effects on aquatic organisms are due to an external (non-systemic) mode of action and are significantly reduced (by a factor of 7-20) within 30 minutes due to the binding of the product to dissolved organic carbon and inorganic sorbents such as clays and silts.

LC50/96 h/Branchydanio rerio (zebra fish)/Acute toxicity/OECD Test Guideline 203: > 1 - 10 mg/l

Remarks: fresh water

EC50/48 h/Daphnia magna (Water flea)/Immobilization/OECD Test Guideline 202: > 10 - 100 mg/l  
/Green algae (Selenastrum capricornutum)/Growth inhibition/OECD Test Guideline 201:

Remarks: Due to the cationicity of the polymer, test is not appropriate.

#### **Toxicity to other organisms**

No data available

#### **Persistence and degradability**

Biological degradability:

CO2 Evolution test/OECD Test Guideline 301B

The polymeric ingredient is not readily biodegradable.

#### **Bioaccumulative potential**

Partition coefficient: n-octanol/water: Not applicable

#### **Mobility in soil**

Water solubility: Limited by viscosity

Surface tension: No data available

#### **Other adverse effects**

Additional ecological information: Ecotoxicological information is based on a structurally or compositionally similar product.

13. **DISPOSAL CONSIDERATIONS**

**Product:** In accordance with local and national regulations. Recycling, recovery and reuse of materials is recommended if permitted by regulations. If recycling is not practicable, dispose of in compliance with local regulations. Incineration is recommended.

**Contaminated packaging:** Dirty package must be disposed of in the same way as the product itself.

14. **TRANSPORT INFORMATION**

**Land transport**

Not classified as dangerous in the meaning of transport regulations.

Store between 5-30 °C

Protect from frost.

Keep away from direct sunlight.

**Sea transport**

Not classified as dangerous in the meaning of transport regulations.

Store between 5-30 °C

Protect from frost.

Keep away from direct sunlight.

**Air transport**

Not classified as dangerous in the meaning of transport regulations.

Store between 5-30 °C

Protect from frost.

Keep away from direct sunlight.

**Special precautions for user**

None known.

15. **REGULATORY INFORMATION**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**SARA Title III Section 311 Categories:**

Eye irritation, Category 2

**SARA 302 Extremely Hazardous Substances**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 - Specific Toxic Chemical Listings**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**California Proposition 65**

WARNING This product contains a chemical(s) known to the state of California to cause cancer, birth defects or other reproduction harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Acrylamide (79-06-1) < 0.1 %

**Notification status**

USA: All components of this product are included in the United States TSCA Chemical Inventory or are not required to be listed on the United States TSCA Chemical Inventory.

Canada: All components of this product are included in the Canada Domestic Substances List (DSL) or are not required to be listed on the Canada Domestic Substance List (DSL).

European Union (EU): All components of this product are included in the European Inventory of Existing Chemical Substances (EINECS) or are not required to be listed on EINECS.

Australia: All components of this product are included in the Australian Inventory of Chemical Substances (AICS) or are not required to be listed on the Australian Inventory of Chemical Substances (AICS).

China: All components of this product are included on the Chinese inventory or are not required to be listed on the Chinese Inventory.

Japan: All components of this product are included on the Japanese (ENCS) inventory or are not required to be listed on the Japanese (ENCS) inventory.

South Korea: All components of this product are included in the Korean (ECL) inventory or are not required to be listed on the Korean (ECL) inventory

Philippines: All components of this product are included on the Philippine (PICCS) inventory or are not required to be listed on the Philippine (PICCS) inventory.

New Zealand: All components of this product are included in the New Zealand inventory (NZIoC) or are not required to be listed on the New Zealand inventory (NZIoC).

## 16. **OTHER INFORMATION**

### **HMIS Rating**

Health 2

Flammability: 1

Reactivity 0

### **NFPA Rating:**

Health: 2

Fire: 1

Reactivity: 0

### **Training advice**

Read the safety data sheet before using the product.

## **OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This information is for the specific material described only and may not be valid if the material is used in combination with any other materials or in any process. The user is responsible to determine the completeness of the information and suitability for the user's own particular use. The knowledge and belief of the company, the information is accurate and reliable as of the date indicated but the company makes no express or implied warranty of merchantability for the material or the information. The company makes no express or implied warranty of fitness for a purpose for the material or for the information. Users of any chemical should educate themselves on all aspects of its use by independent investigation of current scientific and medical



knowledge that the material can be used safely. Both the supplier and manufacturer make no representations and assume no liability for any direct, incidental or consequential damages resulting from its use. Both the supplier and manufacturer make no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This information is for the specific material described only and may not be valid if the material is used in combination with any other materials or in any process. The user is responsible to determine the completeness of the information and suitability for the user's own particular use. Users of any chemical should educate themselves on all aspects of its use by independent investigation of current scientific and medical knowledge that the material can be used safely. The buyer assumes all responsibility for using and handling the product in accordance with applicable federal, state and local regulations.

**List of abbreviations and acronyms that could be, but not necessarily are, used in the safety data sheet:**

ACGIH: American Conference of Industrial Hygienists  
BEI: Biological Exposure Index  
CAS Chemical: Abstracts Service (Division of the American Chemical Society)  
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act  
CMR: Carcinogenic, Mutagenic or Toxic for Reproduction  
DOT: Department of Transportation  
FG: Food grade  
FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act  
GHS: Globally Harmonized System of Classification and Labeling of Chemicals  
H-statement: Hazard Statement  
HMIRC: Hazardous Materials Information Review Commission  
HMIS: Hazardous Materials Identification System  
IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organization  
ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization"  
IMDG: International Maritime Code for Dangerous Goods  
ISO: International Organization for Standardization  
logPow: octanol-water partition coefficient  
LCxx: Lethal Concentration, for xx percent of test population  
LDxx: Lethal Dose, for xx percent of test population  
ICxx: Inhibitory Concentration for xx of a substance  
ECxx: Effective Concentration of xx  
N.O.S.: Not otherwise specified  
NFPA: National Fire Protection Association  
NIOSH: National Institute for Occupational Safety and Health  
OECD: Organization for Economic Co-operation and Development  
OEL: Occupational Exposure Limit  
OSHA: Occupational Safety and Health Administration  
P-Statement: Precautionary Statement  
PBT: Persistent, Bioaccumulative and Toxic  
PMRA: Health Canada Pest Management Regulatory Agency  
PPE: Personal Protective Equipment  
RTK: Right to Know  
SDS: Safety Data Sheet  
STEL: Short-term exposure limit  
STOT: Specific Target Organ Toxicity  
TLV: Threshold Limit Value  
TWA: Time-weighted average  
VPVB: Very Persistent and Very Bioaccumulative  
WEL: Workplace Exposure Level  
WHMIS: Workplace Hazardous Materials Information System